

1102



**TREATY SERIES No. 55 (1925)**

**NOTES**

EXCHANGED BETWEEN THE

**UNITED KINGDOM AND PORTUGAL**

Confirming the Protocol, signed at Cape Town on March 5, 1915, defining a Section of the Frontier Line between the Portuguese Colony of Angola and Rhodesia

Lisbon, November 3, 1925

[WITH A MAP.]

---

PRESENTED BY THE SECRETARY OF STATE FOR FOREIGN AFFAIRS TO PARLIAMENT BY COMMAND OF HIS MAJESTY

---

LONDON :

PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE  
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses :  
Adastral House, Kingsway, London, W.C.2 ; 28, Abingdon Street, London, S.W.1 ;  
York Street, Manchester ; 1, St. Andrew's Crescent, Cardiff ;  
or 120, George Street, Edinburgh ;  
or through any Bookseller

1925

Price 2s. 0d. Net

Cmd. 2568.



**TREATY SERIES No. 55 (1925)**

**NOTES**

EXCHANGED BETWEEN THE

**UNITED KINGDOM AND PORTUGAL**

Confirming the Protocol, signed at Cape Town on March 5, 1915, defining a Section of the Frontier Line between the Portuguese Colony of Angola and Rhodesia

Lisbon, November 3, 1925

[WITH A MAP.]

---

PRESENTED BY THE SECRETARY OF STATE FOR FOREIGN AFFAIRS TO PARLIAMENT BY COMMAND OF HIS MAJESTY

---

LONDON :

PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE  
 To be purchased directly from H.M. STATIONERY OFFICE at the following addresses :  
 Adastral House, Kingsway, London, W.C.2; 28, Abingdon Street, London, S.W.1;  
 York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;  
 or 120, George Street, Edinburgh;  
 or through any Bookseller

1925

Price 2s. Od. Net

Cmd. 2568.

1104

Notes exchanged between the United Kingdom and  
Portugal confirming the Protocol, signed at Cape  
Town on March 5, 1915, defining a Section of the  
Frontier Line between the Portuguese Colony of  
Angola and Rhodesia.

Lisbon, November 3, 1925.

No. 1.

Sir L. Carnegie to the Portuguese Minister for Foreign Affairs.

His Britannic Majesty's Embassy,  
Lisbon, November 3, 1925.

Your Excellency,

His Britannic Majesty's Government have received the original signed version, in the English and Portuguese texts, of the Protocol, with its accompanying map, which was signed at Cape Town on the 5th March, 1915, by the commissioners appointed by our respective Governments to carry out, in accordance with the arbitration award of His Majesty the King of Italy, the delimitation of the frontier between the Portuguese colony of Angola and Rhodesia, from the intersection of the 24th meridian east of Greenwich and the Congo-Zambesi watershed to the intersection of the 22nd meridian east of Greenwich and the "bord oriental du lit des hautes eaux du Kwando (Cuando)."

I have the honour to inform your Excellency that I am authorised by His Britannic Majesty's Government to confirm on their behalf this Protocol, as set forth in the accompanying printed copy and map, duly certified by me, and to state that they would be glad to receive a similar assurance on the part of the Portuguese Government.

It is understood that with a view to exact conformity between the map and article 41 of the Protocol, the boundary pillar marked "M. 1" on the map is to be regarded as marked "L. 25-M. 1" referred to in the said article 41.

The present Note and your Excellency's reply in identic terms will constitute the agreement between the British and Portuguese Governments in the matter.

I avail, &c.

LANCELOT D. CARNEGIE.

1105

## No. 2.

*The Portuguese Minister for Foreign Affairs to Sir L. Carnegie.*

*Ministério dos Negócios Estrangeiros,*

*Senhor Embaixador, Lisboa, 3 de Novembro de 1925.*

O GOVERNO da República Portuguesa recebeu o texto original, em português e inglês, do Protocolo e respectivo mapa anexo, que foi assinado na Cidade do Cabo da Bôa Esperança em 5 de Março de 1915 pelos comissários nomeados pelos nossos respectivos Governos para procederem, de acordo com a sentença arbitral de Sua Majestade o Rei de Italia, à demarcação da fronteira entre a Colonia Portuguesa de Angola e a Rhodesia, desde o ponto de encontro do meridiano 24° leste de Greenwich com a divisoria de aguas Congo-Zambeze até ao ponto de encontro do meridiano 22° leste de Greenwich com "le bord oriental du lit des hautes eaux du Kwando (Cuando)."

Tenho a honra de comunicar a V. Exa. que o Governo da República Portuguesa confirma, por sua parte, o referido Protocolo tal como se encontra na copia impressa e reprodução do respectivo mapa que estão anexas a esta nota e por mim devidamente autenticadas, e estimaria receber igual confirmação por parte do Governo de Sua Majestade Britanica.

Fica entendido que, assim de manter uma exacta concordancia entre o mapa e o artigo 41 do Protocolo, o marco de fronteira designado no mapa como "M. 1." é o marco "L. 25 M. 1." a que se refere o citado artigo 41.

A presente nota e a resposta de V. Exa. em identicos termos constituirão o acordo entre os Governos Português e Britanico sobre o assunto.

Aproveito, &c.

VASCO BORGES.

(Translation.)

*Ministry for Foreign Affairs,*

*Mr. Ambassador, Lisbon, November 3, 1925.*

The Government of the Portuguese Republic have received the original text, in Portuguese and English, of the Protocol with its respective map annexed, which was signed at the City of the Cape of Good Hope on the 5th March, 1915, by the commissioners appointed by our respective Governments to carry out, in accordance with the arbitration award of His Majesty the King of Italy, the delimitation of the frontier between the Portuguese colony of Angola and Rhodesia, from the point of contact of the 24th meridian east of Greenwich with the line of division of the waters Congo-Zambezi to the point of contact of the 22nd meridian east of Greenwich with "le bord oriental du lit des hautes eaux du Kwando (Cuando)."

I have the honour to inform your Excellency that the Government of the Portuguese Republic confirm, on their part, the said Protocol as set forth in the printed copy and reproduction of the respective map which are annexed to this Note and are duly certified

by me, and would be glad to receive a similar confirmation on the part of His Majesty's Government.

It is understood that, in order to maintain exact conformity between the map and article 41 of the Protocol, the boundary pillar marked "M. 1" on the map is the boundary pillar "L. 25-M. 1" which is referred to in the said article 41.

The present note and your Excellency's reply in identic terms will constitute the agreement between the Portuguese and British Governments on the subject.

I avail, &c.

VASCO Borges.

### PROTOCOL.

IN the year One Thousand Nine Hundred and Fifteen on the fifth day of the month of March,

The undersigned,

Henry William Gordon, Major, Royal Engineers, Commissioner of the Government of His Britannic Majesty,

Filippe Trajano Vieira da Rocha, primeiro tenente de marinha, Commissioner of the Government of the Portuguese Republic,

commissioned by their respective Governments to carry out in accordance with the Arbitration award of His Majesty the King of Italy delivered at Rome on the 30th May, 1905, the delimitation of the frontier between the Portuguese Colony of Angola and Rhodesia (described in the Arbitration award as the Kingdom of the Barotse) from the intersection of the 24th meridian east longitude and the Congo-Zambesi (Zambesi) watershed to the intersection of the 22nd meridian east longitude and the "bord oriental du lit des hautes eaux

No dia cinco do mez de Março do ano de mil novecentos e quinze,

Os abaixo assinados,

Filippe Trajano Vieira da Rocha, primeiro tenente de marinha, Comissario do Governo da Republica Portugueza,

Henry William Gordon, Major, Royal Engineers, Comissario do Governo de Sua Magestade Britanica,

encarregados pelos seus respectivos Governos, para proceder, de acordo com a Sentença Arbitral dada em Roma por Sua Magestade o Rei de Italia em 30 de Maio de 1905, á demarcação da fronteira entre a Colonia Portugueza de Angola e a Rhodesia (descrita na Sentença Arbitral como reino do Barotze), desde o ponto de encontro de meridiano 24°, l'este de Greenwich, com a divisoria de aguas Congo-Zambeze (Zambesi), até ao ponto de encontro do meridiano 22°, l'este de Greenwich, com "le bord oriental du lit des hautes eaux

du Kwando (Cuando)" River, have agreed to adopt, subject to ratification, the frontier line shown on the reconnaissance map attached to the present protocol.

This line corresponds to the following description :

1. A straight line from Boundary Pillar No. I, built in masonry on the watershed of the rivers Congo and Zambesi (Zambese), in astronomical latitude  $10^{\circ} 53' 18\frac{1}{2}''$  south and approximate longitude  $23^{\circ} 59' 58\frac{1}{2}''$  east of Greenwich to Boundary Pillar No. II, built in masonry near the source of the river Chinyasi (Tchenaje), in astronomical latitude  $10^{\circ} 54' 43''$  south and approximate longitude  $23^{\circ} 58' 51''$  east of Greenwich.

2. The thalweg of the river Chinyasi (Tchenaje), tributary on the right bank of the river Jimbe, to its junction with that river.

The thalweg of the river Jimbe from its junction with the river Chinyasi (Tchenaje) to its junction with the river Zambesi (Zambese).

The thalweg of the river Zambesi (Zambese) from its junction with the river Jimbe to its junction with the river Kanyanda (Kanhanda), its tributary on the left bank.

The thalweg of the river Kanyanda (Kanhanda) from its junction with the river Zambesi (Zambese) to its junction with the stream Kamarengo (Kamrengo), its tributary on the left bank.

The thalweg of the stream Kamarengo (Kamrengo) from its junction with the river Kanyanda (Kanhanda) to its source where Boundary Pillar No. II A built in cement, is situated, approximate latitude  $11^{\circ} 10'$  south and approximate longitude  $24^{\circ} 02'$  east of Greenwich.

du Kwando," concordaram em adotar, sujeita a ratificação, a linha de fronteira indicada na carta de reconhecimento junta ao presente protocolo.

Esta linha de fronteira corresponde á seguinte descrição :

1. Uma linha reta partindo do marco I, construído em alvenaria na divisoria das águas dos rios Congo e Zambese (Zambesi) em latitude astronomica  $10^{\circ} 53' 18\frac{1}{2}''$  sul e longitude aproximada  $23^{\circ} 59' 58\frac{1}{2}''$  l'este de Greenwich, até ao marco II construído em alvenaria junto da nascente do ribeiro Tchenaje (Chinyasi), em latitude astronomica  $10^{\circ} 54' 43''$  sul e longitude aproximada  $23^{\circ} 58' 51''$  l'este de Greenwich.

2. O talweg do ribeiro Tchenaje (Chinyasi), afluente da margem direita do rio Jimbe, até á sua confluencia com este rio.

O talweg do rio Jimbe, desde a confluencia com o ribeiro Tchenaje (Chinyasi) até á confluencia com o rio Zambese (Zambesi).

O talweg do rio Zambese (Zambesi) desde a confluencia com o rio Jimbe até á confluencia com o ribeiro Kanhanda (Kanyanda), seu afluente da margem esquerda.

O talweg do ribeiro Kanhanda (Kanyanda) desde a confluencia com o rio Zambese (Zambesi) até á sua confluencia com o regato Kamrengo (Kamarengo), seu afluente da margem esquerda.

O talweg do regato Kamrengo (Kamarengo) desde a confluencia com o ribeiro Kanhanda (Kanyanda) até á sua nascente, onde está o marco II A construído em cimento, latitude aproximada  $11^{\circ} 10'$  sul e longitude aproximada  $24^{\circ} 02'$  l'este de Greenwich.

3. A straight line from Boundary Pillar No. II A to Boundary Pillar No. III, built in masonry near the source of the river Chihongolo (Tcheongola), tributary of the river Mujileshe (Mudileje), which is a tributary of the river Zambezi (Zambese), approximate latitude  $11^{\circ} 16'$  south and approximate longitude  $24^{\circ} 02'$  east of Greenwich.

4. A straight line from Boundary Pillar No. III to Boundary Pillar No. IV, built in masonry on the right bank of the river Chamba (Tchamba), a tributary of the river Zambezi (Zambese), approximate latitude  $11^{\circ} 18'$  south and approximate longitude  $24^{\circ} 03'$  east of Greenwich.

5. A straight line from Boundary Pillar No. IV to Boundary Pillar No. V, built in masonry on the top of the hill Nyansongi (Kassongo), astronomical latitude  $11^{\circ} 20' 56''$  south and approximate longitude  $24^{\circ} 04'$  east of Greenwich.

6. A straight line from Boundary Pillar No. V to Boundary Pillar No. VI, built in masonry near the source of the river Luisabo (Luizabo), a tributary of the river Zambezi (Zambese), approximate latitude  $11^{\circ} 24'$  south and approximate longitude  $24^{\circ} 05'$  east of Greenwich.

7. The thalweg of the river Luisabo (Luizabo) from Boundary Pillar No. VI to its junction with the river Mujileshe (Mudileje), its tributary on the left bank.

The thalweg of the river Mujileshe (Mudileje) from its junction with the river Luisabo (Luizabo) to its junction with the stream Itete, its tributary on the left bank.

3. Uma linha reta desde o marco II A até ao marco III construído em alvenaria junto da nascente do ribeiro Tcheongola (Chihongolo), afluente do rio Mudileje (Mujileshe) que é afluente do rio Zambeze (Zambesi), em latitude aproximada  $11^{\circ} 16'$  sul e longitude aproximada  $24^{\circ} 02'$  leste de Greenwich.

4. Uma linha reta desde o marco III até ao marco IV, construído em alvenaria na margem direita do rio Tchamba (Chamba), afluente do rio Zambeze (Zambesi) em latitude aproximada  $11^{\circ} 18'$  sul e longitude aproximada  $24^{\circ} 03'$  leste de Greenwich.

5. Uma linha reta desde o marco IV até ao marco V construído em alvenaria no cimo do monte Kassongo (Nyansongi) em latitude astronomica  $11^{\circ} 20' 56''$  sul e longitude aproximada  $24^{\circ} 04'$  leste de Greenwich.

6. Uma linha reta desde o marco V até ao marco VI construído em alvenaria junto da nascente do rio Luizabo (Luisabo), afluente do rio Zambeze (Zambesi), em latitude aproximada  $11^{\circ} 24'$  sul e longitude aproximada  $24^{\circ} 05'$  leste de Greenwich.

7. O talweg do rio Luizabo (Luisabo) desde o marco VI até à sua confluencia com o rio Mudileje (Mujileshe), seu afluente da margem esquerda.

O talweg do rio Mudileje (Mujileshe), desde a confluencia com o rio Luizabo (Luisabo) até à sua confluencia com o regato Itete, seu afluente da margem esquerda.

The thalweg of the stream Itete from its junction with the river Mujileshe (Mudileje) to its source where Boundary Pillar No. VIII, built in masonry, is situated approximate latitude  $11^{\circ} 51'$  south and approximate longitude  $24^{\circ} 00'$  east of Greenwich.

8. A straight line from Boundary Pillar No. VIII to Boundary Pillar No. IX, built in masonry on the left bank of the river Lukaya (Lukaia), a tributary of the river Luisabo (Luizabo) approximate latitude  $11^{\circ} 54\frac{1}{2}'$  south and approximate longitude  $23^{\circ} 59'$  east of Greenwich.

9. A straight line from Boundary Pillar No. IX to Boundary Pillar No. X built in cement at the source of the river Kachiji (Katcheche) which flows into the river Chitoka (Tchetoke), a tributary of the river Luhusa (Luhunza), approximate latitude  $11^{\circ} 59\frac{1}{2}'$  south and approximate longitude  $23^{\circ} 59'$  east of Greenwich.

10. A straight line from Boundary Pillar No. X to Boundary Pillar No. XI, built in cement at the source of the river Maninga, a tributary of the river Kabompo, approximate latitude  $12^{\circ} 4\frac{1}{2}'$  south and approximate longitude  $23^{\circ} 59'$  east of Greenwich.

11. A straight line from Boundary Pillar No. XI to Boundary Pillar No. XII, built in cement, astronomical latitude  $12^{\circ} 08' 11''$  south and approximate longitude  $23^{\circ} 58' 48''$  east of Greenwich.

12. A straight line from Boundary Pillar No. XII to Boundary Pillar No. XIII, built in cement at the source of the river Kamatete (Kamarese), ap-

O talweg do regato Itete, desde a confluencia com o rio Mudileje (Mujileshe) até á sua nascente onde está o marco VIII construído em alvenaria, em latitude aproximada  $11^{\circ} 51'$  sul e longitude aproximada  $24^{\circ} 00'$  l'este de Greenwich.

8. Uma linha reta desde o marco VIII até ao marco IX, construído em alvenaria na margem esquerda do rio Lukaia (Lukaya), afluente do rio Luizabo (Luisabo), em latitude aproximada  $11^{\circ} 54\frac{1}{2}'$  sul e longitude aproximada  $23^{\circ} 59'$  l'este de Greenwich.

9. Uma linha reta desde o marco IX até ao marco X, construído em cimento na nascente do ribeiro Katcheche (Kachiji) que corre para o rio Tchetoke (Chitoka), afluente do rio Lubunza (Luhunza), em latitude aproximada  $11^{\circ} 59\frac{1}{2}'$  sul e longitude aproximada  $23^{\circ} 59'$  l'este de Greenwich.

10. Uma linha reta desde o marco X até ao marco XI, construído em cimento na nascente do rio Maninga, afluente do rio Kabompo em latitude aproximada  $12^{\circ} 04\frac{1}{2}'$  sul e longitude aproximada  $23^{\circ} 59'$  l'este de Greenwich.

11. Uma linha reta desde o marco XI até ao marco XII, construído em cimento em latitude astronomica  $12^{\circ} 08' 11''$  sul e longitude aproximada  $23^{\circ} 58' 48''$  l'este de Greenwich.

12. Uma linha reta desde o marco XII até ao marco XIII, construído em cimento na nascente do ribeiro Kamarese (Kamatete) em latitude aproximada  $12^{\circ} 10'$

proximate latitude  $12^{\circ} 19'$  south and approximate longitude  $23^{\circ} 59'$  east of Greenwich.

13. The thalweg of the river Kamatete (Kamarese) from Boundary Pillar No. XIII to its junction with the river Muoze.

The thalweg of the river Muoze from its junction with the river Kamatete (Kamarese) to its junction with the stream Muanamuoze, its tributary on the right bank.

The thalweg of the stream Muanamuoze from its junction with the river Muoze to its source where Boundary Pillar No. XIV, built in masonry, is situated, approximate latitude  $12^{\circ} 19'$  south and approximate longitude  $24^{\circ} 4'$  east of Greenwich.

14. A straight line from Boundary Pillar No. XIV to Boundary Pillar No. XV, built in cement, at the source of the river Nyela (Niela) a tributary of the river Maninga, approximate latitude  $12^{\circ} 20'$  south and approximate longitude  $24^{\circ} 3'$  east of Greenwich.

15. The thalweg of the river Nyela (Niela) from Boundary Pillar No. XV to its junction with the river Maninga.

The thalweg of the river Maninga from its junction with the river Nyela (Niela) to its intersection with the astronomical parallel  $13^{\circ} 00' 00''$  south.

16. A straight line from the intersection of the thalweg of the river Maninga with the astronomical parallel  $13^{\circ} 00' 00''$  south to Boundary Pillar L. 1, built in cement on the right bank of the river Maninga, astronomical latitude  $13^{\circ} 00' 00''$  south and approximate longitude  $24^{\circ} 2\frac{3}{4}'$  east of Greenwich.

sul e longitude aproximada  $23^{\circ} 59'$  leste de Greenwich.

13. O talweg do ribeiro Kamarese (Kamatete), desde o marco XIII até á sua confluencia com o ribeiro Muoze.

O talweg do ribeiro Muoze, desde a confluencia com o ribeiro Kamarese (Kamatete) até á sua confluencia com o regato Muana-muoze, seu afluente da margem direita.

O talweg do regato Muana-muoze, desde a confluencia com o ribeiro Muoze até á sua nascente, onde está o marco XIV, construído em alvenaria, em latitude aproximada  $12^{\circ} 19'$  sul e longitude aproximada  $24^{\circ} 04'$  leste de Greenwich.

14. Uma linha reta desde o marco XIV até ao marco XV, construído em alvenaria na nascente do rio Niela (Nyela), afluente do rio Maninga, em latitude aproximada  $12^{\circ} 20'$  sul e longitude aproximada  $24^{\circ} 03'$  leste de Greenwich.

15. O talweg do rio Niela (Nyela), desde o marco XV até á sua confluencia com o rio Maninga.

O talweg do rio Maninga, desde a confluencia com o rio Niela (Nyela) até ao seu encontro com o paralelo astronomica  $13^{\circ} 00' 00''$  sul.

16. Uma linha reta desde o ponto de encontro do talweg do rio Maninga com o paralelo astronomica  $13^{\circ} 00' 00''$  sul até ao marco L. 1, construído em cimento na margem direita do rio Maninga; em latitude astronomica  $13^{\circ} 00' 00''$  sul e longitude aproximada  $24^{\circ} 02\frac{3}{4}'$  leste de Greenwich.

1111

17. A straight line from Boundary Pillar No. L. 1 to Boundary Pillar No. L. 1 A, built in cement near the right bank of the river Maninga, astronomical latitude  $13^{\circ} 00' 00''$  south and approximate longitude  $24^{\circ} 24'$  east of Greenwich.

18. A straight line from Boundary Pillar No. L. 1 A to Boundary Pillar No. L. 2, built in cement in the centre of the chana\* Chikamba (Tchekamba), astronomical latitude  $13^{\circ} 00' 00''$  south and approximate longitude  $23^{\circ} 53'$  east of Greenwich.

19. A straight line from Boundary Pillar No. L. 2 to Boundary Pillar No. L. 3, built in masonry at the left edge of the chana\* of the river Lunyue (Lenhua), a tributary of the Makondo(Macondo),astronomical latitude  $13^{\circ} 00' 00''$  south and approximate longitude  $23^{\circ} 47'$  east of Greenwich.

20. A straight line from Boundary Pillar No. L. 3 to Boundary Pillar No. L. 4, built in cement on the left edge of the chana\* of the river Chito (Tchito), a tributary of the river Lunyue (Lenhua), astronomical latitude  $13^{\circ} 00' 00''$  south and  $20^{\circ} 40\frac{1}{4}'$  east of Greenwich.

21. A straight line from Boundary Pillar No. L. 4 to Boundary Pillar No. L. 5, built in masonry on the left edge of the chana\* of the river Makondo (Macondo), a tributary of the Zambesi (Zambese), astronomical latitude  $13^{\circ} 00' 00''$  south and approximate longitude  $23^{\circ} 32\frac{1}{4}'$  east of Greenwich.

\* Note.—*Chana*, a native word meaning plains covered by water in the rainy season.

17. Uma linha reta desde o marco L. 1 até ao marco L. 1 A, construído em cimento perto da margem direita do rio Maninga,em latitude astronomica  $13^{\circ} 00' 00''$  sul e longitude aproximada  $24^{\circ} 02\frac{1}{4}'$  l'este de Greenwich.

18. Uma linha reta desde o marco L. 1 A até ao marco L. 2, construído em cimento no meio da chana\* Tchekamba (Chikamba), em latitude astronomica  $13^{\circ} 00' 00''$  sul e longitude aproximada  $23^{\circ} 53'$  l'este de Greenwich.

19. Uma linha reta desde o marco L. 2, até ao marco L. 3, construído em alvenaria na orla esquerda da chana\* do rio Leuhua (Lunyue), afluente do rio Macondo (Makondo), em latitude astronomica  $13^{\circ} 00' 00''$  sul e longitude aproximada  $23^{\circ} 47'$  l'este de Greenwich.

20. Uma linha reta desde o marco L. 3 até ao marco L. 4, construído em cimento na orla esquerda da chana\* do rio Tchito (Chito), afluente do rio Lenhua (Lunyue), em latitude astronomica  $13^{\circ} 00' 00''$  sul e longitude aproximada  $23^{\circ} 40\frac{1}{4}'$  l'este de Greenwich.

21. Uma linha reta desde o marco L. 4 até ao marco L. 5, construído em alvenaria na orla esquerda da chana\* do rio Macondo (Makondo), afluente do rio Zimbese (Zambesi) em latitude astronomica  $13^{\circ} 00' 00''$  sul e longitude aproximada  $23^{\circ} 32\frac{1}{4}'$  l'este de Greenwich.

\* Nota.—*Chana*, palavra indigena significando planice coberta pela agua no tempo das chuvas.

22. A straight line from Boundary Pillar No. L. 5 to Boundary Pillar No. L. 6, built in masonry on the right edge of the chana\* of the river Makondo (Macondo), astronomical latitude  $13^{\circ} 00' 00''$  south and approximate longitude  $23^{\circ} 31\frac{1}{4}'$  east of Greenwich.
23. A straight line from Boundary Pillar No. L. 6 to Boundary Pillar No. L. 7, built in cement, astronomical latitude  $13^{\circ} 00' 00''$  south and approximate longitude  $23^{\circ} 28'$  east of Greenwich.
24. A straight line from Boundary Pillar No. L. 7 to Boundary Pillar No. L. 8, built in cement, astronomical latitude  $13^{\circ} 00' 00''$  south and approximate longitude  $23^{\circ} 21\frac{3}{4}'$  east of Greenwich.
25. A straight line from Boundary Pillar No. L. 8 to Boundary Pillar No. L. 9, built in cement on the right edge of the chana\* of the river Lunkuni (Luncunhe), astronomical latitude  $13^{\circ} 00' 00''$  south and approximate longitude  $23^{\circ} 13\frac{3}{4}'$  east of Greenwich.
26. A straight line from Boundary Pillar No. L. 9 to Boundary Pillar No. L. 10, built in cement in the chana\* of the river Chibombo (Tchebombo), astronomical latitude  $13^{\circ} 00' 00''$  south and approximate longitude  $23^{\circ} 07'$  east of Greenwich.
27. A straight line from Boundary Pillar No. L. 10 to Boundary Pillar No. L. 11, built in cement in the chana\* of the river Katungo (Catungo), astro-
22. Uma linha reta desde o marco L. 5 até ao marco L. 6, construído em alvenaria na orla direita da chana\* do rio Macondo (Makondo), em latitude astronomica  $13^{\circ} 00' 00''$  sul e longitude aproximada  $23^{\circ} 31\frac{1}{4}'$  leste de Greenwich.
23. Uma linha reta desde marco L. 6 até ao marco L. 7, construído em cimento, em latitude astronomica  $13^{\circ} 00' 00''$  sul e longitude aproximada  $23^{\circ} 28'$  leste de Greenwich.
24. Uma linha reta desde o marco L. 7 até ao marco L. 8, construído em cimento, em latitude astronomica  $13^{\circ} 00' 00''$  sul e longitude aproximada  $23^{\circ} 21\frac{3}{4}'$  leste de Greenwich.
25. Uma linha reta desde o marco L. 8 até ao marco L. 9, construído em cimento na orla direita da chana\* do rio Luncunhe (Lunkuni), em latitude astronomica  $13^{\circ} 00' 00''$  sul e longitude aproximada  $23^{\circ} 13\frac{3}{4}'$  leste de Greenwich.
26. Uma linha reta desde o marco L. 9 até ao marco L. 10, construído em cimento na chana\* do rio Tchebombo (Chibombo), em latitude astronomica  $13^{\circ} 00' 00''$  sul e longitude aproximada  $23^{\circ} 07'$  leste de Greenwich.
27. Uma linha reta desde o marco L. 10 até ao marco L. 11, construído em cimento na chana\* do rio Catungo (Katungo), em latitude astronomica  $13^{\circ} 00' 00''$

\* Note.—*Chana*, a native word meaning plains covered by water in the rainy season.

\* Nota.—*Chana*, palavra indígena significando planice coberta pela agua no tempo das chuvas.

nometical latitude  $13^{\circ} 00' 00''$  south and approximate longitude  $23^{\circ} 34'$  east of Greenwich.

28. A straight line from Boundary Pillar No. L. 11 to Boundary Pillar No. L. 12, built in cement in the chana\* of the river Katungo (Catungo), astronomical latitude  $13^{\circ} 00' 00''$  south and approximate longitude  $22^{\circ} 59\frac{1}{2}'$  east of Greenwich.

29. A straight line from Boundary Pillar No. L. 12 to Boundary Pillar No. L. 13, built in cement on the right edge of the chana\* of the river Kalombo (Calumbo), a tributary to the river Zambesi (Zambese), astronomical latitude  $13^{\circ} 00' 00''$  south and approximate longitude  $22^{\circ} 53\frac{1}{2}'$  east of Greenwich.

30. A straight line from Boundary Pillar No. L. 13 to Boundary Pillar No. L. 14, built in masonry on the top of a small hill, astronomical latitude  $13^{\circ} 00' 00''$  south and approximate longitude  $22^{\circ} 46'$  east of Greenwich.

31. A straight line from Boundary Pillar No. L. 14 to Boundary Pillar No. L. 15, built in masonry on the left bank of the river Zambesi (Zambese), astronomical latitude  $13^{\circ} 00' 00''$  south and approximate longitude  $22^{\circ} 43\frac{1}{4}'$  east of Greenwich.

32. A straight line from Boundary Pillar No. L. 15 to Boundary Pillar No. L. 16, built in masonry on the right bank of the river Zambesi (Zambese), astronomical latitude  $13^{\circ} 00' 00''$  south and approximate longitude  $22^{\circ} 42\frac{3}{4}'$  east of Greenwich.

33. A straight line from Boundary Pillar No. L. 16 to

sul e longitude aproximada  $23^{\circ} 03\frac{1}{4}'$  l'este de Greenwich.

28. Uma linha reta desde o marco L. 11 até ao marco L. 12 construído em cimento na chana\* do rio Catungo (Katungo), em latitude astronomica  $13^{\circ} 00' 00''$  sul e longitude aproximada  $22^{\circ} 59\frac{1}{2}'$  l'este de Greenwich.

29. Uma linha reta desde o marco L. 12 até ao marco L. 13, construído em cimento na orla direita da chana\* do rio Calumbo (Kalombo), afluente do rio Zambese (Zambesi) em latitude astronomica  $13^{\circ} 00' 00''$  sul e longitude aproximada  $22^{\circ} 53\frac{1}{2}'$  l'este de Greenwich.

30. Uma linha reta desde o marco L. 13 até ao marco L. 14, construído em alvenaria no cimo de um pequeno monte, em latitude astronomica  $13^{\circ} 00' 00''$  sul e longitude aproximada  $22^{\circ} 46'$  l'este de Greenwich.

31. Uma linha reta desde o marco L. 14 até ao marco L. 15, construído em alvenaria na margem esquerda do rio Zambese (Zambesi), em latitude astronomica  $13^{\circ} 00' 00''$  sul e longitude aproximada  $22^{\circ} 43\frac{1}{4}'$  l'este de Greenwich.

32. Uma linha reta desde o marco L. 15 até ao marco L. 16, construído em alvenaria na margem direita do rio Zambese (Zambesi), em latitude astronomica  $13^{\circ} 00' 00''$  sul e longitude aproximada  $22^{\circ} 42\frac{3}{4}'$  l'este de Greenwich.

33. Uma linha reta desde o marco L. 16 até ao marco L. 17,

\* Note.—*Chana*, a native word meaning plains covered by water in the rainy season.

\* Nota.—*Chana*, palavra indígena significando planícies cobertas pela água no tempo das chuvas.

Boundary Pillar No. L. 17, built in cement, astronomical latitude  $13^{\circ} 00' 00''$  south and approximate longitude  $22^{\circ} 39'$  east of Greenwich.

34. A straight line from Boundary Pillar No. L. 17 to Boundary Pillar No. L. 18, built in cement in the chana\* Mugho, astronomical latitude  $13^{\circ} 00' 00''$  south and approximate longitude  $22^{\circ} 34\frac{1}{2}'$  east of Greenwich.

35. A straight line from Boundary Pillar No. L. 18 to Boundary Pillar No. L. 19, built in cement, astronomical latitude  $13^{\circ} 00' 00''$  south and approximate longitude  $22^{\circ} 28\frac{3}{4}'$  east of Greenwich.

36. A straight line from Boundary Pillar No. L. 19 to Boundary Pillar No. L. 20, built in cement, astronomical latitude  $13^{\circ} 00' 00''$  south and approximate longitude  $22^{\circ} 24\frac{1}{2}'$  east of Greenwich.

37. A straight line from Boundary Pillar No. L. 20 to Boundary Pillar No. L. 21, built in cement, astronomical latitude  $13^{\circ} 00' 00''$  south and approximate longitude  $22^{\circ} 19\frac{1}{4}'$  east of Greenwich.

38. A straight line from Boundary Pillar No. L. 21 to Boundary Pillar No. L. 22, built in cement, astronomical latitude  $13^{\circ} 00' 00''$  south and approximate longitude  $22^{\circ} 13\frac{3}{4}'$  east of Greenwich.

39. A straight line from Boundary Pillar No. L. 22 to Boundary Pillar No. L. 23, built in cement at the edge of the chana\* of the stream Lupinda (Lepinda), a tributary of the river

construido em cimento, em latitude astronomica  $13^{\circ} 00' 00''$  sul e longitude aproximada  $22^{\circ} 39'$  l'este de Greenwich.

34. Uma linha reta desde o marco L. 17 até ao marco L. 18, construído em cimento na chana\* Mugho, em latitude astronomica  $13^{\circ} 00' 00''$  sul e longitude aproximada  $22^{\circ} 34\frac{1}{2}'$  l'este de Greenwich.

35. Uma linha reta desde o marco L. 18 até ao marco L. 19, construído em cimento em latitude astronomica  $13^{\circ} 00' 00''$  sul e longitude aproximada  $22^{\circ} 28\frac{3}{4}'$  l'este de Greenwich.

36. Uma linha reta desde o marco L. 19 até ao marco L. 20, construído em cimento, em latitude astronomica  $13^{\circ} 00' 00''$  sul e longitude aproximada  $22^{\circ} 24\frac{1}{2}'$  l'este de Greenwich.

37. Uma linha reta desde o marco L. 20 até ao marco L. 21, construído em cimento, em latitude astronomica  $13^{\circ} 00' 00''$  sul e longitude aproximada  $22^{\circ} 19\frac{1}{4}'$  l'este de Greenwich.

38. Uma linha reta desde o marco L. 21 até ao marco L. 22, construído em cimento, em latitude astronomica  $13^{\circ} 00' 00''$  sul e longitude aproximada  $22^{\circ} 13\frac{3}{4}'$  l'este de Greenwich.

39. Uma linha reta desde o marco L. 22 até ao marco L. 23, construído em cimento na orla da chana\* do ribeiro Lepinda (Lupinda), afluente do rio Caxije (Kachiji), em latitude astronomica

\* Note.—*Chana*, a native word meaning plains covered by water in the rainy season.

\* Nota.—*Chana*, palavra indígena significando planice coberta pela agua no tempo das chuvas.

Kachiji (Caxije), astronomical latitude  $13^{\circ} 00' 00''$  south and approximate longitude  $22^{\circ} 8\frac{1}{4}'$  east of Greenwich.

40. A straight line from Boundary Pillar No. L. 23 to Boundary Pillar No. L. 24, built in cement, astronomical latitude  $13^{\circ} 00' 00''$  south and approximate longitude  $22^{\circ} 3'$  east of Greenwich.

41. A straight line from Boundary Pillar No. L. 24 to Boundary Pillar No. L. 25-M. 1, built in cement, astronomical latitude  $13^{\circ} 00' 00''$  south and approximate longitude  $22^{\circ} 0' 13''$  east of Greenwich.

42. A straight line in the approximate direction of  $0^{\circ} 30'$  true bearing from Boundary Pillar No. L. 25-M. 1 to Boundary Pillar No. M. 2, built in cement on the north edge of the chana\* of the river Kachiji (Caxije), a tributary of the Zambezi (Zambesi), astronomical latitude  $13^{\circ} 6' 13''$  south and approximate longitude  $22^{\circ} 00' 09''$  east of Greenwich.

43. A straight line in a direction approximate  $0^{\circ} 30'$  true bearing from Boundary Pillar M. 2 to Boundary Pillar M. 3, built in cement, astronomical latitude  $13^{\circ} 12' 14''$  south and approximate longitude  $22^{\circ} 00' 06''$  east of Greenwich.

44. A straight line in a direction approximate  $0^{\circ} 30'$  true bearing from Boundary Pillar M. 3 to Boundary Pillar M. 4, built in cement, astronomical latitude  $13^{\circ} 18' 35''$  south and approximate longitude  $22^{\circ} 00' 03''$  east of Greenwich.

\* Note.—*Chana*, a native word meaning plains covered by water in the rainy season.

$13^{\circ} 00' 00''$  sul e longitude aproximada  $22^{\circ} 08\frac{3}{4}'$  l'este de Greenwich.

40. Uma linha reta desde o marco L. 23 até ao marco L. 24, construído em cimento, em latitude astronomica  $13^{\circ} 00' 00''$  sul e longitude aproximada  $22^{\circ} 03'$  l'este de Greenwich.

41. Uma linha reta desde o marco L. 24 até ao marco L. 25-M. 1, construído em cimento, em latitude astronomica  $13^{\circ} 00' 00''$  sul e longitude aproximada  $22^{\circ} 00' 13''$  l'este de Greenwich.

42. Uma linha reta na direção aproximada  $0^{\circ} 30'$  verdadeiro desde o marco L. 25-M. 1 até ao marco M. 2, construído em cimento na orla norte da chana\* do rio Caxije (Kachiji), afluente do rio Zambeze(Zambesi),em latitude astronomica  $13^{\circ} 06' 13''$  sul e longitude aproximada  $22^{\circ} 00' 09''$  l'este de Greenwich.

43. Uma linha reta na direção aproximada  $0^{\circ} 30'$  verdadeiro desde o marco M. 2 até ao marco M. 3, construído em cimento, em latitude astronomica  $13^{\circ} 12' 14''$  sul e longitude aproximada  $22^{\circ} 00' 06''$  l'este de Greenwich.

44. Uma linha reta na direção aproximada  $0^{\circ} 30'$  verdadeiro desde o marco M. 3 até ao marco M. 4, construído em cimento, em latitude astronomica  $13^{\circ} 18' 35''$  sul e longitude aproximada  $22^{\circ} 00' 03''$  l'este de Greenwich.

\* Nota.—*Chana*, palavra indígena significando planice coberta pela água no tempo das chuvas.

45. A straight line running true south from Boundary Pillar M. 4 to Boundary Pillar M. 5, built in cement, latitude astronomical  $13^{\circ} 22' 35''$  south and approximate longitude  $22^{\circ} 00' 03''$  east of Greenwich.

46. A straight line running true south from Boundary Pillar M. 5 to Boundary Pillar M. 6, built in cement, on the northern edge of the chana\* of the river Lunguebungu (Lunguebungo), an affluent of the river Zambezi (Zambese), latitude astronomical  $13^{\circ} 25' 51''$  south and approximate longitude  $22^{\circ} 00' 03''$  east of Greenwich..

47. A straight line in a direction  $0^{\circ} 48' 20''$  true bearing from Boundary Pillar M. 6 to Boundary Pillar M. 7, built in cement on the southern edge of the chana\* of the river Lunguebungu (Lunguebungo), astronomical latitude  $13^{\circ} 28' 10''$  south and approximate longitude  $22^{\circ} 00' 01''$  east of Greenwich.

48. A straight line running true south from Boundary Pillar M. 7 to Boundary Pillar M. 8, built in cement, astronomical latitude  $13^{\circ} 34' 04''$  south and approximate longitude  $22^{\circ} 00' 01''$  east of Greenwich.

49. A straight line running true south from Boundary Pillar M. 8 to Boundary Pillar M. 9, built in cement, astronomical latitude  $13^{\circ} 39' 42''$  south and approximate longitude  $22^{\circ} 00' 01''$  east of Greenwich.

50. A straight line running true south from Boundary Pillar M. 9 to Boundary Pillar M. 10, built in cement at the south of

\* Note.—*Chana*, a native word, meaning plains covered by water in the rainy season.

45. Uma linha reta na direção sul verdadeiro desde o marco M. 4 até ao marco M. 5 construído em cimento, em latitude astronomica  $13^{\circ} 22' 35''$  sul e longitude aproximada  $22^{\circ} 00' 03''$  l'este de Greenwich.

46. Uma linha reta na direção sul verdadeiro desde o marco M. 5 até ao marco M. 6 construído em cimento na orla norte da chana\* do rio Lunguebungu (Lunguebungo), afluente do rio Zambeze (Zambesi), em latitude astronomica  $13^{\circ} 25' 51''$  sul e longitude aproximada  $22^{\circ} 00' 03''$  l'este de Greenwich.

47. Uma linha reta na direção aproximada  $0^{\circ} 48' 20''$  verdadeiro desde o marco M. 6 até ao marco M. 7 construído em cimento na orla sul da chana\* do rio Lunguebungu (Lunguebungo), em latitude astronomica  $13^{\circ} 28' 10''$  sul e longitude aproximada  $22^{\circ} 00' 01''$  l'este de Greenwich.

48. Uma linha reta na direção sul verdadeiro desde o marco M. 7 até ao marco M. 8, construído em cimento, em latitude astronomica  $13^{\circ} 34' 04''$  sul e longitude aproximada  $22^{\circ} 00' 01''$  l'este de Greenwich.

49. Uma linha reta na direção sul verdadeiro desde o marco M. 8 até ao marco M. 9 construído em cimento em latitude astronomica  $13^{\circ} 39' 42''$  sul e longitude aproximada  $22^{\circ} 00' 01''$  l'este de Greenwich.

50. Uma linha reta na direção sul verdadeiro desde o marco M. 9 até ao marco M. 10 construído em cimento ao sul da chana\* do rio

\* Nota.—*Chana*, palavra indígena significando planice coberta pela agua no tempo das chuvas.

the chana\* of the river Lutembwe (Lutembue), astronomical latitude  $13^{\circ} 43' 25''$  south and approximate longitude  $22^{\circ} 00' 01''$  east of Greenwich.

51. A straight line running true south from Boundary Pillar M. 10 to Boundary Pillar M. 11, built in cement, astronomical latitude  $13^{\circ} 49' 01''$  south and approximate longitude  $22^{\circ} 00' 01''$  east of Greenwich.

52. A straight line running true south from Boundary Pillar M. 11 to Boundary Pillar M. 12, built in cement, astronomical latitude  $13^{\circ} 54' 58''$  south and approximate longitude  $22^{\circ} 00' 01''$  east of Greenwich.

53. A straight line running true south from Boundary Pillar M. 12 to Boundary Pillar M. 13, built in cement, astronomical latitude  $14^{\circ} 00' 14''$  south and approximate longitude  $22^{\circ} 00' 01''$  east of Greenwich.

54. A straight line running true south from Boundary Pillar M. 13 to Boundary Pillar M. 14, built in cement, astronomical latitude  $14^{\circ} 05' 20''$  south and approximate longitude  $22^{\circ} 00' 01''$  east of Greenwich.

55. A straight line running true south from Boundary Pillar M. 14 to Boundary Pillar M. 15, built in cement in the chana\* north of the river Luanginga (Luangingga), an affluent of the river Zambezi (Zambesi), astronomical latitude  $14^{\circ} 08' 45''$  south and approximate longitude  $22^{\circ} 00' 01''$  east of Greenwich.

56. A straight line running true south from Boundary Pillar M. 15 to Boundary Pillar M. 16,

Lutembue (Lutembwe), em latitude astronomica  $13^{\circ} 43' 25''$  sul e longitude aproximada  $22^{\circ} 00' 01''$  l'este de Greenwich.

51. Uma linha reta na direção sul verdº desde o marco M. 10 até ao marco M. 11, construido em cimento, em latitude astronomica  $13^{\circ} 49' 01''$  sul e longitude aproximada  $22^{\circ} 00' 01''$  l'este de Greenwich.

52. Uma linha reta na direção sul verdº desde o marco M. 11 até ao marco M. 12, construido em cimento, em latitude astronomica  $13^{\circ} 54' 58''$  sul e longitude aproximada  $22^{\circ} 00' 01''$  l'este de Greenwich.

53. Uma linha reta na direção sul verdº desde a marco M. 12 até ao marco M. 13, construido em cimento, em latitude astronomica  $14^{\circ} 00' 14''$  sul e longitude aproximada  $22^{\circ} 00' 01''$  l'este de Greenwich.

54. Uma linha reta na direção sul verdº desde o marco M. 13 até ao marco M. 14, construido em cimento, em latitude astronomica  $14^{\circ} 05' 20''$  sul e longitude aproximada  $22^{\circ} 00' 01''$  l'este de Greenwich.

55. Uma linha reta na direção sul verdº desde o marco M. 14 até ao marco M. 15, construido em cimento na chana\* norte dorio Luangingga (Luangingga), affluent do rio Zambezi (Zambesi), em latitude astronomica  $14^{\circ} 08' 45''$  sul e longitude aproximada  $22^{\circ} 00' 01''$  l'este de Greenwich.

56. Uma linha reta na direção sul verdº desde o marco M. 15 até ao marco M. 16, construido

\* Note.—*Chana*, a native word meaning plains covered by water in the rainy season.

\* Nota.—*Chana*, palavra indigena significando planice coberta pela agua no tempo das chuvas.

built in cement on the southern edge of the chana\* of the river Luangingga (Luangingga), latitude astronomical  $14^{\circ} 15' 40''$  south and approximate longitude  $22^{\circ} 00' 01''$  east of Greenwich.

57. A straight line running true south from Boundary Pillar M. 16 to Boundary Pillar M. 17, built in cement, latitude astronomical  $14^{\circ} 21' 19''$  south and approximate longitude  $22^{\circ} 00' 01''$  east of Greenwich.

58. A straight line running true south from Boundary Pillar M. 17 to Boundary Pillar M. 18, built in cement on the southern edge of the chana\* of the river Nengo, an affluent of the river Luangingga (Luangingga), astronomical latitude  $14^{\circ} 27' 25''$  south and approximate longitude  $22^{\circ} 00' 01''$  east of Greenwich.

59. A straight line running true south from Boundary Pillar M. 18 to Boundary Pillar M. 19, built in cement, astronomical latitude  $14^{\circ} 33' 04''$  south and approximate longitude  $22^{\circ} 00' 01''$  east of Greenwich.

60. A straight line running true south from Boundary Pillar M. 19 to Boundary Pillar M. 20, built in cement, astronomical latitude  $14^{\circ} 38' 43''$  south and approximate longitude  $22^{\circ} 00' 01''$  east of Greenwich.

61. A straight line running true south from Boundary Pillar M. 20 to Boundary Pillar M. 21, built in cement, astronomical latitude  $14^{\circ} 44' 18''$  south and approximate longitude  $22^{\circ} 00' 01''$  east of Greenwich.

62. A straight line running true south from Boundary Pillar

em cimento na orla sul da chana\* do rio Luangingga (Luangingga), em latitude astronomica  $14^{\circ} 15' 40''$  sul e longitude aproximada  $22^{\circ} 00' 01''$  l'este de Greenwich.

57. Uma linha reta na direção sul verdº desde o marco M. 16 até ao marco M. 17, construído em cimento, em latitude astronomica  $14^{\circ} 21' 19''$  sul e longitude aproximada  $22^{\circ} 00' 01''$  l'este de Greenwich

58. Uma linha reta na direção sul verdº desde o marco M. 17 até ao marco M. 18, construído em cimento na orla sul da chana\* do rio Nengo, afluente do rio Luangingga (Luangingga), em latitude astronomica  $14^{\circ} 27' 25''$  sul e longitude aproximada  $22^{\circ} 00' 01''$  l'este de Greenwich.

59. Uma linha reta na direção sul verdº desde o marco M. 18 até ao marco M. 19, construído em cimento, em latitude astronomica  $14^{\circ} 33' 04''$  sul e longitude aproximada  $22^{\circ} 00' 01''$  l'este de Greenwich.

60. Uma linha reta na direção sul verdº desde o marco M. 19 até ao marco M. 20, construído em cimento, em latitude astronomica  $14^{\circ} 38' 43''$  sul e longitude aproximada  $22^{\circ} 00' 01''$  l'este de Greenwich.

61. Uma linha reta na direção sul verdº desde o marco M. 20 até ao marco M. 21, construído em cimento, em latitude astronomica  $14^{\circ} 44' 18''$  sul e longitude aproximada  $22^{\circ} 00' 01''$  l'este de Greenwich.

62. Uma linha reta na direção sul verdº desde o marco M. 21

\* Note.—*Chana*, a native word meaning plains covered by water in the rainy season.

\* Nota.—*Chana*, palavra indígena significando planice coberta pela agua no tempo das chuvas.

M. 21 to Boundary Pillar M. 22, built in cement near the southern edge of the chana\* of the river Nyinda (Ninda), an affluent of the river Nyengo (Nhengo), astronomical latitude  $14^{\circ} 50' 20''$  south and approximate longitude  $22^{\circ} 00' 01''$  east of Greenwich.

63. A straight line running true south from Boundary Pillar M. 22 to Boundary Pillar M. 23, built in cement, astronomical latitude  $14^{\circ} 55' 36''$  south and approximate longitude  $22^{\circ} 00' 01''$  east of Greenwich.

64. A straight line running true south from Boundary Pillar M. 23 to Boundary Pillar M. 24, built in cement, astronomical latitude  $15^{\circ} 01' 29''$  south and approximate longitude  $22^{\circ} 00' 01''$  east of Greenwich.

65. A straight line running true south from Boundary Pillar M. 24 to Boundary Pillar M. 25, built in cement, astronomical latitude  $15^{\circ} 06' 39''$  south and approximate longitude  $22^{\circ} 00' 01''$  east of Greenwich.

66. A straight line running true south from Boundary Pillar M. 25 to Boundary Pillar M. 26, built in cement, astronomical latitude  $15^{\circ} 12' 15''$  south and approximate longitude  $22^{\circ} 00' 01''$  east of Greenwich.

67. A straight line running true south from Boundary Pillar M. 26 to Boundary Pillar M. 27, built in cement, astronomical latitude  $15^{\circ} 18' 20''$  south and approximate longitude  $22^{\circ} 00' 01''$  east of Greenwich.

68. A straight line running true south from Boundary Pillar M. 27 to Boundary Pillar M. 28,

até ao marco M. 22, construído em cimento perto da orla sul da chana\* do rio Ninda (Nyinda), afluente do rio Nhengo (Nyengo), em latitude astronomica  $14^{\circ} 50' 20''$  sul e longitude aproximada  $22^{\circ} 00' 01''$  l'este de Greenwich.

63. Uma linha reta na direção sul verdº desde o marco M. 22 até ao marco M. 23, construído em cimento, em latitude astronomica  $14^{\circ} 55' 36''$  sul e longitude aproximada  $22^{\circ} 00' 01''$  l'este de Greenwich.

64. Uma linha reta na direção sul verdº desde o marco M. 23 até ao marco M. 24, construído em cimento, em latitude astronomica  $15^{\circ} 01' 29''$  sul e longitude aproximada  $22^{\circ} 00' 01''$  l'este de Greenwich.

65. Uma linha reta na direção sul verdº desde o marco M. 24 até ao marco M. 25, construído em cimento, em latitude astronomica  $15^{\circ} 06' 39''$  sul e longitude aproximada  $22^{\circ} 00' 01''$  l'este de Greenwich.

66. Uma linha reta na direção sul verdº desde o marco M. 25 até ao marco M. 26, construído em cimento, em latitude astronomica  $15^{\circ} 12' 15''$  sul e longitude aproximada  $22^{\circ} 00' 01''$  l'este de Greenwich.

67. Uma linha reta na direção sul verdº desde o marco M. 26 até ao marco M. 27, construído em cimento, em latitude astronomica  $15^{\circ} 18' 20''$  sul e longitude aproximada  $22^{\circ} 00' 01''$  l'este de Greenwich.

68. Uma linha reta na direção sul verdº desde o marco M. 27 até ao marco M. 28, construído em

\* Note.—*Chana*, a native word meaning plains covered by water in the rainy season.

\* Nota.—*Chana*, palavra indígena significando planice coberta pela agua no tempo das chuvas.

built in cement, astronomical latitude  $15^{\circ} 24' 24''$  south and approximate longitude  $22^{\circ} 00' 01''$  east of Greenwich.

69. A straight line running true south from Boundary Pillar M. 28 to Boundary Pillar M. 29, built in cement, astronomical latitude  $15^{\circ} 29' 58''$  south and approximate longitude  $22^{\circ} 00' 01''$  east of Greenwich.

70. A straight line running true south from Boundary Pillar M. 29 to Boundary Pillar M. 30, built in cement, on the southern edge of the chana\* of the river Loeti (Lueti), an affluent of the river Zambezi (Zambesi), astronomical latitude  $15^{\circ} 35' 24''$  south and approximate longitude  $22^{\circ} 00' 01''$  east of Greenwich.

71. A straight line running true south of Boundary Pillar M. 30 to Boundary Pillar M. 31, built in cement, astronomical latitude  $15^{\circ} 41' 26''$  south and approximate longitude  $22^{\circ} 00' 01''$  east of Greenwich.

72. A straight line running true south from Boundary Pillar M. 31 to Boundary Pillar M. 32, built in cement, astronomical latitude  $15^{\circ} 47' 12''$  south and approximate longitude  $22^{\circ} 00' 01''$  east of Greenwich.

73. A straight line running true south from Boundary Pillar M. 32 to Boundary Pillar M. 33, built in cement, astronomical latitude  $15^{\circ} 53' 12''$  south and approximate longitude  $22^{\circ} 00' 01''$  east of Greenwich.

74. A straight line running true south from Boundary Pillar M. 33 to Boundary Pillar M. 34, built in cement, astronomical

cimento, em latitude astronomica  $15^{\circ} 24' 24''$  sul e longitude aproximada  $22^{\circ} 00' 01''$  l'este de Greenwich.

69. Uma linha reta na direção sul verdº desde o marco M. 28 até ao marco M. 29, construído em cimento, em latitude astronomica  $15^{\circ} 29' 58''$  sul e longitude aproximada  $22^{\circ} 00' 01''$  l'este de Greenwich.

70. Uma linha reta na direção sul verdº desde o marco M. 29,até ao marco M. 30, construído em cimento na orla da chana\* do rio Loeti (Lueti), affluent do rio Zambeze (Zambesi), em latitude astronomica  $15^{\circ} 35' 24''$  sul e longitude aproximada  $22^{\circ} 00' 01''$  l'este de Greenwich.

71. Uma linha reta na direção sul verdº desde o marco M. 30 até ao marco M. 31, construído em cimento, em latitude astronomica  $15^{\circ} 41' 26''$  sul e longitude aproximada  $22^{\circ} 00' 01''$  l'este de Greenwich.

72. Uma linha reta na direção sul verdº desde o marco M. 31 até ao marco M. 32, construído em cimento, em latitude astronomica  $15^{\circ} 47' 12''$  sul e longitude aproximada  $22^{\circ} 00' 01''$  l'este de Greenwich.

73. Uma linha reta na direção sul verdº desde o marco M. 32 até ao marco M. 33, construído em cimento, em latitude astronomica  $15^{\circ} 53' 12''$  sul e longitude aproximada  $22^{\circ} 00' 01''$  l'este de Greenwich.

74. Uma linha reta na direção sul verdº desde o marco M. 33 até ao M. 34, construído em cimento, em latitude astronomica  $15^{\circ} 58' 16''$

\* Note.—*Chana*, a native word meaning plains covered by water in the rainy season.

\* Nota.—*Chana*, palavra indígena significando planice coberta pela agua no tempo das chuvas.

latitude  $15^{\circ} 58' 16''$  south and approximate longitude  $22^{\circ} 00' 01''$  east of Greenwich.

75. A straight line running true south from Boundary Pillar M. 34 to Boundary Pillar M. 35, built in cement, astronomical latitude  $16^{\circ} 03' 07''$  south and approximate longitude  $22^{\circ} 00' 01''$  east of Greenwich.

76. A straight line running true south from Boundary Pillar M. 35 to Boundary Pillar M. 36, built in cement, astronomical latitude  $16^{\circ} 08' 07''$  south and approximate longitude  $22^{\circ} 00' 01''$  east of Greenwich.

77. A straight line running true south from Boundary Pillar M. 36 to Boundary Pillar M. 37, built in cement on the northern edge of the marsh of the river Kwando (Cuando), astronomical latitude  $16^{\circ} 11' 38''$  south and approximate longitude  $22^{\circ} 00' 01''$  east of Greenwich.

78. Boundary Pillar M. 37 is the last Pillar erected, and is at the edge of the marsh north of the river Kwando (Cuando). The Portuguese Commissioner is of opinion that this position coincides with "le bord oriental du lit des hautes eaux du Kwando." The British Commissioner considers this latter wording vague, and prefers that its correct definition be referred by the Commissioners to their respective Governments. A large scale sketch of the marsh north of the river Kwando is attached. Since the names of the rivers, localities, &c., have been supplied by the natives, who frequently alter them, it is understood that, whatever modification of the names may occur at any future date, the Boundary described in this

sul e longitude aproximada  $22^{\circ} 00' 01''$  l'este de Greenwich.

75. Uma linha reta na direção sul verdadeiro desde o marco M. 34 até ao marco M. 35, construído em cimento, em latitude astronomica  $16^{\circ} 03' 07''$  sul e longitude aproximada  $22^{\circ} 00' 01''$  l'este de Greenwich.

76. Uma linha reta na direção sul verdadeiro desde o marco M. 35, até ao marco M. 36, construído em cimento, em latitude astronomica  $16^{\circ} 08' 07''$  sul e longitude aproximada  $22^{\circ} 00' 01''$  l'este de Greenwich.

77. Uma linha reta na direção sul verdadeiro desde o marco M. 36 até ao marco M. 37, construído em cimento na orla norte do pantano do rio Cuando (Kwando), em latitude astronomica  $16^{\circ} 11' 38''$  sul e longitude aproximada  $22^{\circ} 00' 01''$  l'este de Greenwich.

78. O marco M. 37 foi o ultimo marco construído e está na orla norte do pantano do rio Quando (Kwando). A Comissão Portuguesa é de opinião que esta posição coincide com "le bord oriental du lit des hautes eaux du Kwando"; a Comissão Britanica considera vaga esta frase e prefere que a sua correta definição seja pelos Comissarios deixada aos respectivos Governos. Junta-se a este protocolo um desenho em grande escala do pantano norte do rio Cuando (Kwando). Sendo os nomes dos rios, logares, etc., dados pelos indigenas, os quaes com facilidade os alteram, entende-se que qualquer que seja a futura possivel mudança n'estes nomes a fronteira descrita no protocolo é a indicada na carta de reconhecimento anexa.

Protocol is that shown on the reconnaissance map annexed to it.

Signed at Cape Town on the day, month, and year as given above in two originals, in English and Portuguese.

The Commissioner of the Government of His Britannic Majesty :

H. W. GORDON, Major, R.E.,  
*Chief British Commissioner.*

Assinados na Cidade do Cabo da Boa Esperança (Cape Town) no dia, mez e ano acima indicados, dois originaes escritos em Portuguez e Inglez.

O Comissario do Governo da Republica Portugueza :

FILIPPE TRAJANO  
VIEIRA DA ROCHA,  
*1º Tenente de Marinha,  
Chefe da Comissão Portugueza.*

---

*Note.*—The designation of the Boundary Pillars along the 13th Parallel should be L. 1, L. 2, L. 25, M. 1, instead of 1, 2, etc., as shown.

Along the 22nd Meridian the designation should be L. 25, M. 1, M. 2, M. 37, instead of 1, 2, etc., as shown.

H. W. GORDON, Major, R.E.,  
*Chief British Commissioner.*

*Nota.*—A designação dos marcos de fronteira ao longo do 13º Paralelo deve-ser: L. 1, L. 2, L. 25, M. 1, em lugar de 1, 2, etc., como indicado.

Ao longo do 22º Meridiano a designação deve-ser L. 25, M. 1, M. 2, M. 37, em lugar de 1, 2, etc., como indicado.




FILIPPE TRAJANO  
VIEIRA DA ROCHA,  
*1º Tenente de Marinha,  
Chefe da Comissão Portugueza.*

---



RHODESIA-ANGOLA BOUNDARY  
DEMARCATION MAP  
1915.

Scale 500,000  
10000 5000 0 10000 20000 30000 40000 50000 YARDS  
10 5 0 10 20 30 40 50 KILOMETRES

NOTE:- The B.P.s, I to XV inclusive are shown in arabic numerals on the map and in roman numerals in the protocol and on the pillars.



NOTE:-Section A to B. is wooded similarly to other sections but is lacking in detail.



G.S.G.S. No 2964.

Price 1/-

*H.W. Gordon*  
Major R.E.  
Chief British Commissioner.  
Délégué Ingénieur de l'Am.  
S. Afr. et membre, chef du comité Intergouvernemental.

War Office, April, 1920.

5<sup>th</sup> March 1915.